

Should limestone screenings or stone dust be used under the concrete pavers? What is recommended by ICPI?

No. Most screenings and stone dust have too many fine particles that slow drainage and rut under repeated loads from tires. Sand made with crushed shells (common in Florida) shouldn't be used either. Concrete sand is recommended. It's the same sand mixed into concrete pavers and poured, cast-in-place concrete.